

To: Daly, Eric[Daly.Eric@epa.gov]
Cc: Benton, Tim[Tim.Benton@WestonSolutions.com]; Hoppe, Shawna K[Hoppe.Shawna@epa.gov]
From: Nwosu, Bernard
Sent: Fri 6/24/2016 12:54:18 PM
Subject: TDD Amendment - Niagara Falls Boulevard Radiological Site - TDD#: 0006/0061

Eric,

RST 3 would like to request a TDD amendment for the Niagara Falls Boulevard Radiological Site, TDD#: 0006/0061. As of June 24, 2016, RST 3 has utilized 1,384 hours out of the budgeted 1,440 hours, leaving a balance of 56 hours.

This request for additional 100 hours take into consideration the time estimated to complete additional Removal Assessment activities, prepare data deliverables and the Removal Assessment Trip Report.

Please let Shawna Hoppe know if you concur with this request.

Thank you.

Ben Nwosu

Senior Project Scientist / Group Leader

Weston Solutions, Inc.

RST3/ED2

1090 King George Post Road, Suite 201

Edison, New Jersey 08837

Phone: (732) 585-4413

Cell: (908) 565-2980

Fax: (732) 225-7037

Email: Ben.Nwosu@WestonSolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.